

TA Triumph-Adler UTAX	Networked standby mode timer time-out time	The power consumption in networked standby						Off Mode	
		Ethernet	USB	Wireless network (2.4 GHz)	Wireless network (5 GHz)	FAX	All networks	Timer	Power consumption
b/w-Printer / s/w-Drucker									
P-3520D	1	—	2,9	—	—	—	2,9	3 days	0.5W or less
P-3521D	1	—	2,9	—	—	—	2,9	3 days	0.5W or less
P-3521DN	15	2,2	—	—	—	—	2,2	3 days	0.1W or less
P-3522DW	1	0,8	1,4	1,4	—	—	1,6	3 days	0.1W or less
P-4020DN	1	0,8	1,4	—	—	—	1,6	3 days	0.1W or less
P-4020DW	1	0,8	1,4	1,4	—	—	1,6	3 days	0.1W or less
P-4021DN	1	0,3	0,4	—	—	—	0,5	20 min	0.1W or less
P-4021DW	1	0,3	0,4	0,4	0,4	—	0,5	20 min	0.1W or less
P-4030D	1	—	2,6	—	—	—	2,6	3 days	0.5W or less
P-4030DN	1	2,6	—	—	—	—	2,6	3 days	0.5W or less
P-4530DN	1	2,2	—	—	—	—	2,2	3 days	0.5W or less
P-4531DN	1	0,6	1,1	—	—	—	1,0	3 days	0.1W or less
P-4532DN	1	0,6	0,9	—	—	—	0,7	3 days	0.1W or less
P-4534DN	1	0,6	0,6	—	—	—	0,7	3 days	0.1W or less
P-5030DN	1	2,2	—	—	—	—	2,2	3 days	0.5W or less
P-5031DN	1	0,6	1,1	—	—	—	1,0	3 days	0.1W or less
P-5032DN	1	0,6	0,9	—	—	—	0,7	3 days	0.1W or less
P-5034DN	1	0,6	0,6	—	—	—	0,7	3 days	0.1W or less
P-5531DN	1	0,6	1,1	—	—	—	1,0	3 days	0.1W or less
P-5532DN	1	0,6	0,9	—	—	—	0,7	3 days	0.1W or less
P-5534DN	1	0,6	0,6	—	—	—	0,7	3 days	0.1W or less
P-6030DN	1	2,2	—	—	—	—	2,2	3 days	0.5W or less
P-6031DN	1	0,6	1,1	—	—	—	1,0	3 days	0.1W or less
P-6033DN	1	0,6	0,9	—	—	—	0,7	3 days	0.1W or less
P-6034DN	1	0,6	0,6	—	—	—	0,7	3 days	0.1W or less
P-6040DN	10	1,0	1,1	—	—	—	1,0	3 days	0.3W or less
LP 3140/LP 4140	1	4,5	4,3	—	—	—	4,9	3 days	0.1W or less
LP 3151/LP 4151	1	4,5	4,3	—	—	—	4,9	3 days	0.1W or less
Colour Printer / Farbdrucker									
P-C2160DN	15	3,3	2,8	—	—	—	3,4	3 days	0.1W or less
P-C2650DW	1	0,9	1,8	1,8	—	—	2,0	3 days	0.2W or less
P-C2651DW	1	0,3	0,4	0,4	0,4	—	0,5	20 min	0.1W or less
P-C2660DN	15	3,4	2,8	—	—	—	3,4	3 days	0.1W or less
P-C3060DN	15	3,6	3,1	—	—	—	3,6	3 days	0.1W or less
P-C3061DN	1	2,4	1,9	—	—	—	2,4	3 days	0.3W or less
P-C3062DN	1	0,7	0,7	—	—	—	0,8	3 days	0.3W or less
P-C3560DN	1	2,4	1,9	—	—	—	2,4	3 days	0.3W or less
P-C3562DN	1	0,7	0,7	—	—	—	0,8	3 days	0.3W or less
P-C3563DN	1	0,5	0,5	—	—	—	0,6	3 days	0.1W or less
P-C3570DN	15	4,1	3,3	—	—	—	4,1	3 days	0.1W or less
P-C4063DN	1	0,5	0,5	—	—	—	0,6	3 days	0.1W or less
P-C4070DN	1	2,5	2,0	—	—	—	1,5	3 days	0.3W or less
P-C4072DN	1	0,7	0,7	—	—	—	0,8	3 days	0.3W or less
P458ci	1	0,5	0,5	—	—	—	0,6	3 days	0.1W or less
b/w-MFP / s/w-MFP									
256i	15	1,2	—	—	—	—	1,2	3 days	0.1W or less
306i	15	1,2	—	—	—	—	1,2	3 days	0.1W or less
1855	1	—	1,2	—	—	—	1,2	3 days	0.5W or less
1856	1	—	1,2	—	—	—	1,2	3 days	0.5W or less
2256	1	—	1,2	—	—	—	1,2	3 days	0.5W or less
3060i	20	1,9	—	—	—	—	1,9	3 days	0.1W or less
3061i	1	1,1	1,6	—	—	—	1,6	3 days	0.5W or less
3262i	1	0,9	1,5	—	—	—	1,4	3 days	0.3W or less
3263i	1	0,5	0,5	—	—	—	0,6	3 days	0.1W or less
3555i	20	1,6	—	—	—	—	1,6	3 days	0.1W or less
3560i	20	1,9	—	—	—	—	1,9	3 days	0.1W or less
3561i	1	1,1	1,6	—	—	—	1,6	3 days	0.5W or less
4056i	10	1,0	1,7	—	—	—	1,5	3 days	0.3W or less
4062i	1	0,9	1,5	—	—	—	1,4	3 days	0.3W or less
4063i	1	0,5	0,5	—	—	—	0,6	3 days	0.1W or less
4555i	20	1,6	—	—	—	—	1,6	3 days	0.1W or less
5056i	10	1,0	1,7	—	—	—	1,5	3 days	0.3W or less
5057i	10	0,7	0,7	—	—	—	0,8	3 days	0.2W or less
5058i	10	0,4	0,4	—	—	—	0,5	3 days	0.1W or less
5555i	20	1,6	—	—	—	—	1,6	3 days	0.1W or less

TA Triumph-Adler UTAX	Networked standby mode timer time-out time	The power consumption in networked standby						Off Mode	
		Ethernet	USB	Wireless network (2.4 GHz)	Wireless network (5 GHz)	FAX	All networks	Timer	Power consumption
6056i	10	1,0	1,7	—	—	—	1,5	3 days	0.3W or less
6057i	10	0,7	0,7	—	—	—	0,8	3 days	0.2W or less
6058i	10	0,4	0,4	—	—	—	0,5	3 days	0.1W or less
6555i	20	1,4	—	—	—	—	1,4	3 days	0.1W or less
7056i	20	1,0	1,8	—	—	—	1,7	3 days	0.3W or less
7057i	20	0,7	0,7	—	—	—	0,9	3 days	0.2W or less
7058i	10	0,4	0,4	—	—	—	0,5	3 days	0.1W or less
8055i	20	1,4	—	—	—	—	1,4	3 days	0.1W or less
8056i	20	1,0	1,8	—	—	—	1,7	3 days	0.3W or less
8057i	20	0,7	0,7	—	—	—	0,9	3 days	0.2W or less
P-2540i MFP	1	0,5	0,5	—	—	—	0,6	3 days	0.1W or less
P-3020 MFP PN	1	3,6	3,0	—	—	—	3,6	3 days	0.5W or less
P-3020 MFP	1	3,6	3,0	—	—	—	3,6	3 days	0.5W or less
P-3025 MFP	1	3,6	3,0	—	—	3,0	3,7	3 days	0.5W or less
P-3520 MFP	1	3,6	3,0	—	—	—	3,6	3 days	0.5W or less
P-3521 MFP	1	1,0	2,1	—	—	—	2,6	3 days	0.1W or less
P-3525 MFP	1	3,6	3,0	—	—	3,0	3,7	3 days	0.5W or less
P-3527w MFP	1	1,0	2,1	1,7	—	1,1	2,6	3 days	0.1W or less
P-4020 MFP	1	1,0	2,1	—	—	—	2,6	3 days	0.1W or less
P-4021 MFP	1	0,4	0,5	—	—	—	0,6	20 min	0.1W or less
P-4025w MFP	1	1,0	2,1	1,7	—	1,1	2,6	3 days	0.1W or less
P-4026w MFP	1	0,4	0,5	0,5	0,5	0,3	0,6	20 min	0.1W or less
P-4026iw MFP	1	1,0	2,1	1,7	—	1,1	2,6	3 days	0.1W or less
P-4027iw MFP	1	0,4	0,5	0,5	0,5	0,3	0,6	20 min	0.1W or less
P-4030 MFP	1	2,8	2,8	—	—	—	2,8	3 days	0.5W or less
P-4030i MFP	1	2,8	2,8	—	—	—	2,8	3 days	0.5W or less
P-4035 MFP	1	2,8	2,8	—	—	2,8	2,8	3 days	0.5W or less
P-4035i MFP	1	2,8	2,8	—	—	2,8	2,8	3 days	0.5W or less
P-4531 MFP	1	0,7	0,6	—	—	—	0,8	3 days	0.1W or less
P-4532 MFP	1	0,6	0,7	—	—	—	0,7	3 days	0.1W or less
P-4536 MFP	1	0,7	0,6	—	—	0,5	0,8	3 days	0.1W or less
P-4531i MFP	1	0,7	0,6	—	—	—	0,8	3 days	0.1W or less
P-4532 MFP	1	0,6	0,7	—	—	—	0,7	3 days	0.1W or less
P-4532i MFP	1	0,6	0,6	—	—	—	0,7	3 days	0.1W or less
P-4536i MFP	1	0,7	0,6	—	—	0,5	0,8	3 days	0.1W or less
P-4539 MFP	1	0,7	0,7	—	—	0,6	0,8	3 days	0.1W or less
P-4539i MFP	1	0,6	0,7	—	—	0,6	0,8	3 days	0.1W or less
P-5035i MFP	1	2,5	2,5	—	—	2,5	2,5	3 days	0.5W or less
P-5536i MFP	1	0,7	0,6	—	—	0,5	0,8	3 days	0.1W or less
P-5536i/A MFP	1	0,7	0,6	—	—	—	0,8	3 days	0.1W or less
P-5539i MFP	1	0,6	0,7	—	—	0,6	0,8	3 days	0.1W or less
P-6035i MFP	1	2,5	2,5	—	—	2,5	2,5	3 days	0.5W or less
P-6036i MFP	1	0,7	0,6	—	—	0,5	0,8	3 days	0.1W or less
P-6038i MFP	1	0,7	0,6	—	—	0,5	0,8	3 days	0.1W or less
P-6038if MFP	1	0,7	0,6	—	—	0,5	0,8	3 days	0.1W or less
P-6039i MFP	1	0,6	0,7	—	—	0,6	0,8	3 days	0.1W or less
Colour-MFP / Farb-MFP									
206ci	20	1,2	—	—	—	—	1,2	3 days	0.1W or less
256ci	20	1,2	—	—	—	—	1,2	3 days	0.1W or less
261ci	15	2,7	2,2	—	—	2,2	2,7	3 days	0.1W or less
300ci	20	2,5	2,5	—	—	—	2,5	3 days	0.3W or less
301ci	20	1,8	—	—	—	—	1,8	3 days	0.3W or less
302ci	20	0,7	0,7	—	—	—	0,9	3 days	0.2W or less
350ci	20	1,6	—	—	—	—	1,6	3 days	0.3W or less
351ci	20	1,8	—	—	—	—	1,8	3 days	0.3W or less
352ci	20	0,8	0,8	—	—	—	0,9	3 days	0.2W or less
355ci	1	2,5	2,0	—	—	2,0	2,5	3 days	0.3W or less
356ci	1	0,7	0,7	—	—	0,6	0,8	3 days	0.3W or less
358ci	1	0,6	0,6	—	—	0,5	0,7	3 days	0.1W or less
400ci	20	1,6	—	—	—	—	1,6	3 days	0.3W or less
401ci	20	1,8	—	—	—	—	1,8	3 days	0.3W or less
402ci	20	0,8	0,8	—	—	—	0,9	3 days	0.2W or less
458ci	1	0,6	0,6	—	—	0,5	0,7	3 days	0.1W or less
502ci	20	0,8	0,8	—	—	—	0,9	3 days	0.2W or less
2500ci	20	1,5	—	—	—	—	1,5	3 days	0.1W or less
2506ci	10	0,9	1,7	—	—	—	1,5	3 days	0.3W or less
2507ci	10	0,7	0,7	—	—	—	0,8	3 days	0.2W or less
2508ci	10	0,5	0,6	—	—	—	0,6	3 days	0.1W or less
3005ci	20	1,9	—	—	—	—	1,9	3 days	0.1W or less

TA Triumph-Adler UTAX	Networked standby mode timer time-out time	The power consumption in networked standby						Off Mode	
		Ethernet	USB	Wireless network (2.4 GHz)	Wireless network (5 GHz)	FAX	All networks	Timer	Power consumption
3206ci	10	0,9	1,7	—	—	—	1,5	3 days	0.3W or less
3207ci	10	0,7	0,7	—	—	—	0,8	3 days	0.2W or less
3505ci	20	1,9	—	—	—	—	1,9	3 days	0.1W or less
3508ci	10	0,5	0,6	—	—	—	0,6	3 days	0.1W or less
4006ci	10	1,0	1,7	—	—	—	1,5	3 days	0.3W or less
4007ci	10	0,7	0,7	—	—	—	0,8	3 days	0.2W or less
4008ci	10	0,5	0,6	—	—	—	0,6	3 days	0.1W or less
4505ci	20	1,9	—	—	—	—	1,9	3 days	0.1W or less
5006ci	10	1,0	1,7	—	—	—	1,5	3 days	0.3W or less
5007ci	10	0,7	0,7	—	—	—	0,8	3 days	0.2W or less
5008ci	10	0,5	0,6	—	—	—	0,6	3 days	0.1W or less
5505ci	20	1,9	—	—	—	—	1,9	3 days	0.1W or less
6006ci	10	1,0	1,7	—	—	—	1,5	3 days	0.3W or less
6007ci	10	0,7	0,7	—	—	—	0,8	3 days	0.2W or less
6008ci	10	0,5	0,6	—	—	—	0,6	3 days	0.1W or less
6505ci	20	1,6	—	—	—	—	1,6	3 days	0.1W or less
7006ci	20	1,0	1,8	—	—	—	1,7	3 days	0.3W or less
7008ci	10	0,5	0,6	—	—	—	0,6	3 days	0.1W or less
7307ci	20	0,7	0,8	—	—	—	0,9	3 days	0.3W or less
7505ci	20	1,6	—	—	—	—	1,6	3 days	0.1W or less
8006ci	20	1,0	1,8	—	—	—	1,7	3 days	0.3W or less
8307ci	20	0,7	0,8	—	—	—	0,9	3 days	0.3W or less
P-C2155w MFP	1	1,0	2,0	2,0	—	1,2	2,2	3 days	0.2W or less
P-C2157w MFP	1	0,4	0,5	0,5	0,5	0,3	0,6	20 min	0.1W or less
P-C2480i MFP	1	0,5	0,5	—	—	—	0,6	3 days	0.1W or less
P-C2655w MFP	1	1,0	2,0	2,0	—	1,2	2,2	3 days	0.2W or less
P-C2656w MFP	1	0,4	0,5	0,5	0,5	0,3	0,6	20 min	0.1W or less
P-C2660 MFP	15	2,6	2,0	—	—	2,0	2,6	3 days	0.1W or less
P-C2660i MFP	15	2,7	2,2	—	—	2,2	2,7	3 days	0.1W or less
P-C2665 MFP	15	2,6	2,0	—	—	2,0	2,6	3 days	0.1W or less
P-C2665i MFP	15	2,7	2,2	—	—	2,2	2,7	3 days	0.1W or less
P-C3060 MFP	1	2,5	2,0	—	—	—	2,5	3 days	0.3W or less
P-C3062i MFP	1	0,7	0,7	—	—	—	0,8	3 days	0.3W or less
P-C3065 MFP	1	2,5	2,0	—	—	2,0	2,5	3 days	0.3W or less
P-C3066i MFP	1	0,7	0,7	—	—	0,6	0,8	3 days	0.3W or less
P-C3560i MFP	1	2,5	2,0	—	—	—	2,5	3 days	0.3W or less
P-C3562i MFP	1	0,7	0,7	—	—	—	0,8	3 days	0.3W or less
P-C3563i MFP	1	0,6	0,6	—	—	—	0,7	3 days	0.1W or less
P-C3565i MFP	1	2,5	2,0	—	—	2,0	2,5	3 days	0.3W or less
P-C3566i MFP	1	0,7	0,7	—	—	0,6	0,8	3 days	0.3W or less
P-C3567i MFP	1	0,6	0,6	—	—	0,5	0,7	3 days	0.1W or less
P-C4063i MFP	1	0,6	0,6	—	—	—	0,7	3 days	0.1W or less
P-C4067i MFP	1	0,6	0,6	—	—	0,5	0,7	3 days	0.1W or less